Technical Data Sheet

2026-11-22 (date of download)
2026-05-13 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group:	STANDARD ALU.CONTAINERS
Name:	Set - 50pack 1500ml Aluminium container - euro pal
Item number:	8315080799



For application details on individual items, go to the next pages.

Product specifications

Technical name	SET.RECT.1500ML.50PACK
Shape	RECTANGULAR
Product category	COMBO PACK
Compartment	1-COMPARTMENT
Top out length	247 mm
Weight/1 pc.	23.65 g (+/-10%)
Weight/1000 pcs.	23.60 kg
Total volume	1500 ml

Packaging

Packaging method	Euro Pallet
Bag	
Quantity/Bag	50 pcs (+/- 2%)
EAN bag code	5410555051702
Carton	
Quantity/carton	500 pcs (+/- 2%)
Carton volume	0.0800 m^3
Carton length	59 cm
Carton width	39 cm
Carton height	35 cm
Net weight/carton	11.8230 kg
Gross weight/carton	12.5260 kg
EAN carton code	5410555052044
Pallet	
Quantity/pallet	8000 pcs (+/- 2%)
Cartons/pallet	16 crt
Cartons/layer	4
Layers/pallet	4
Pallet height	152 cm
Net weight/pallet	200.4 kg
EAN pallet code	N/A

Plus Pack AS
Energivej 40
DK-5260 Odense S

www.pluspack.com
info@pluspack.com
Tel: +45 65506000

ISO 9001/14001 certified
BRC Global Standard Packaging
CVR: DK 37 75 40 13

Technical Data Sheet

2026-11-22 (date of download)
2026-09-16 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group:	STANDARD ALU.CONTAINERS
Name:	1500ml Aluminium container - bulk carton
Item number:	8315010720



Technical material



Application



Rim style



Product specifications

Technical name	RECT.1500ML.INT.VER.CURL.BULK
Material category	ALUMINIUM
Shape	RECTANGULAR
Product category	TRAY
Compartment	1-COMPARTMENT
Application	Grill, Freezer, Microwave, Oven
Height	70 mm
Top out length	247 mm
Top out width	127 mm
Top in length	234 mm
Top in width	114 mm
Base length	207 mm
Base width	87 mm
Weight/1 pc.	14.85 g (+/-10%)
Weight/1000 pcs.	14.80 kg
Total volume	1500 ml

Temperature

Minimum inner temperature	-40 °C
Maximum inner temperature	350 °C
Minimum outer temperature	-40 °C
Maximum outer temperature	350 °C

Material & product features

Material	ALUMINIUM
Foil description	STANDARD
Inside lacquer/Outside lacquer	No/No
Lacquer type	N/A
Barrier/laminat	No/No
Color (in/out)	ALUMINIUM/ALUMINIUM
Tray features	N/A
Rim style	Interrupted vertical curl
Closing options	Lid
Situation	Ready-to-cook, Ready-to-eat, Ready-to-heat
Suitable for food contact	Yes

Sustainability details

Designed to be recycled	Yes
Mono-material	Yes
Biodegradeable	No
Biobased	No
Sourced from ASI	No
Suitable for repeated use	No
Total recycled content	74% avg

Plus Pack AS
Energivej 40
DK-5260 Odense S

www.pluspack.com
info@pluspack.com
Tel: +45 65506000

ISO 9001/14001 certified
BRC Global Standard Packaging
CVR: DK 37 75 40 13

Technical Data Sheet

2026-11-22 (date of download)
2026-01-29 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group:	OTHER
Name:	Cardboard/pe/al lid 245x125mm
Item number:	8315040000





Technical material

Application



Product specifications

Technical name	LID.CARDBOARD.RECT
Material category	DIVERS
Shape	RECTANGULAR
Product category	LID
Compartment	N/A
Application	Freezer
Height	N/A
Top out length	245 mm
Top out width	125 mm
Top in length	N/A
Top in width	N/A
Weight/1 pc.	8.96 g (+/-10%)
Weight/1000 pcs.	9.00 kg
Total volume	0 ml

Temperature

Minimum inner temperature	-40 °C
Maximum inner temperature	100 °C
Minimum outer temperature	-40 °C
Maximum outer temperature	100 °C

Material & product features

Material	CARDBOARD/PE/AL
Foil description	CRT-PE-ALU
Inside lacquer/Outside lacquer	No/No
Lacquer type	N/A
Barrier/laminat	No/No
Color (in/out)	ALUMINIUM/WHITE
Situation	N/A
Suitable for food contact	Yes

Sustainability details

Designed to be recycled	No
Mono-material	No
Biodegradeable	No
Biobased	No
Sourced from ASI	No
Suitable for repeated use	No
Total recycled content	% avg

Plus Pack AS
Energivej 40
DK-5260 Odense S

www.pluspack.com
info@pluspack.com
Tel: +45 65506000

ISO 9001/14001 certified
BRC Global Standard Packaging
CVR: DK 37 75 40 13

Technical Data Sheet

2026-11-22 (date of download)
2026-05-13 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group:	STANDARD ALU.CONTAINERS
Name:	Set - 50pack 1500ml Aluminium container - euro pal
Item number	8315080799



Related items



8315040000



8315010720

Material

- The aluminium foil contains a food approved lubricate, the amount is depending on the shape and complexity of the container.

Application

- Aluminium containers are safe to use in microwave ovens constructed after 1983 following the instructions that can be found at: www.alufoil.org/about-alufoil/reference-library/aluminium-foil-and-microwave-ovens.html

Recycled content

- The recycled content in % is the secondary production aluminium part. This is a calculated average based on raw material supplier data for the last 2 calendar years. It can be subject to changes based on changes from our supplier.
- Be aware that the post-industrial-waste & post-consumer-waste is calculated according to third party information.

Packaging

- The number of packagings may vary, but the number is equalized by the total order.

Disposal

- The product and the packaging are made of a valuable material. Please recycle where possible and follow the local waste handling guidelines.

Secondary packaging

CARTON	
Material	CARDBOARD
Color	BROWN
Weight/1 pcs	0.703 kg
Total recycled content	89% min.
Post-Consumer-Waste	0% min.
PALLET	
Material	WOOD
Color	BROWN
Weight/1 pc.	23.5 kg
Total recycled content	0% min.
Post-Consumer-Waste	0% min.

Plus Pack AS
Energivej 40
DK-5260 Odense S

www.pluspack.com
info@pluspack.com
Tel: +45 65506000

ISO 9001/14001 certified
BRC Global Standard Packaging
CVR: DK 37 75 40 13