

Technical Data Sheet

2026-01-09 (date of download)
2025-10-17 (last modified date)

Product group: PORTION PACK
Name: 36ml White alu coated container - plastic pal
Item number: 530-0036-007



Technical material:



Application:



Rim style:



Product specifications

Technical name	ALU.ROUND.Ø66.36ML.WHITE
Material category	ALUMINIUM
Shape	ROUND
Product category	TRAY
Compartment	1-COMPARTMENT
Application	Freezer, Microwave
Height	15 mm
Top out length	66 mm
Top in length	59 mm
Base length	53 mm
Weight/1 pc.	1.70 g (+/-10%)
Weight/1000 pcs.	1.70 kg
Total volume	36 ml
Volume comp.	36 ml / 0 ml / 0 ml

Temperature

Minimum inner temperature	-40 °C
Maximum inner temperature	130 °C
Minimum outer temperature	-40 °C
Maximum outer temperature	200 °C

Material & product features

Material	ALU COATED
Foil description	LAMINATE / LACQUER
Inside lacquer/Outside lacquer	Yes/Yes
Lacquer type	Inside PP film (BPA NIA), Outside lacq. (BPA NIA)

Barrier/laminat	Yes
Color (in/out)	COLORLESS/WHITE
Tray features	N/A
Rim style	Heat seal curl
Closing options	Sealing film, Skin pack
Situation	N/A
Suitable for food contact	Yes

Sustainability details

Designed to be recycled	Yes
Mono-material	Yes
Biodegradable	No
Biobased	No
Sourced from ASI	
Suitable for repeated use	No
Total recycled content	42% avg

Packaging

Packaging method	Plastic Pallet
Bag	
Quantity/Bag	6500 pcs (+/- 2%)
EAN bag code	N/A
Carton	
Quantity/carton	6500 pcs (+/- 2%)
Carton volume	0.0540 m ³
Carton length	39 cm
Carton width	39 cm
Carton height	36 cm
Net weight/carton	11.0360 kg
Gross weight/carton	11.7950 kg
EAN carton code	5410555082287
Pallet	
Quantity/pallet	156000 pcs (+/- 2%)
Cartons/pallet	24 crt
Cartons/layer	6
Layers/pallet	4
Pallet height	157 cm
Net weight/pallet	283.1 kg
EAN pallet code	N/A

Technical Data Sheet

2026-01-09 (date of download)
2025-10-17 (last modified date)

Product group: PORTION PACK
Name: 36ml White alu coated container - plastic pal
Item number: 530-0036-007



Related items:



540-0065-001

Material

- The aluminium foil contains a food approved lubricate, the amount is depending on the shape and complexity of the container.
- Be aware that containers with outside and/or inside lacquer can have limitations on the specified temperature. Lacquer is specified to app. 200°C, but time, food and other conditions may affect heat resistance, therefore it must be tested at the customer. For more information on specific food stuffs, see relevant DOC.

Application

- Aluminium containers are safe to use in microwave ovens constructed after 1983 following the instructions that can be found at: www.alufoil.org/about-alufoil/reference-library/aluminium-foil-and-microwave-ovens.html
- When used in any form of heating device (e.g., microwave oven, conventional oven, grill, etc.), the end-user must always refer to and follow the instructions provided by the heating device manufacturer. Plus Pack accepts no responsibility for misuse or deviation from such guidance.
- This container can be used in combination with a sealing film and/or skin pack film for product presentation and extended shelflife. To make sure the application is within the expectations, always make sure to do a thorough test.

Recycled content

- The recycled content in % is the secondary production aluminium part. This is a calculated average based on raw material supplier data for the last 2 calendar years. It can be subject to changes based on changes from our supplier.
- Be aware that the post-industrial-waste & post-consumer-waste is calculated according to third party information.

Packaging

- The number of packagings may vary, but the number is equalized by the total order.

Disposal

- The product and the packaging are made of a valuable material. Please recycle where possible and follow the local waste handling guidelines.