

Technical Data Sheet

2026-03-20 (date of download)
2025-05-14 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group: READY2COOK®
Name: Set - 10pack 1442ml Black alu coated container
w/reverse handles - euro pal
Item number: 0140182201



Application:

Be aware to check application details for each item on the following pages.

Product specifications

Technical name	SET.RECT.1442ML.BL.10PACK
Shape	RECTANGULAR
Product category	COMBO PACK
Compartment	1-COMPARTMENT
Top out length	265 mm
Weight/1 pc.	37.91 g (+/-10%)
Weight/1000 pcs.	37.90 kg
Total volume	1442 ml

Packaging

Packaging method Euro Pallet

Bag

Quantity/Bag 10 pcs (+/- 2%)
EAN bag code 5410555080993

Carton

Quantity/carton 120 pcs (+/- 2%)
Carton volume 0.0700 m³
Carton length 60 cm
Carton width 40 cm
Carton height 29 cm
Net weight/carton 4.5490 kg
Gross weight/carton 5.2460 kg
EAN carton code 5410555081006

Pallet

Quantity/pallet 1920 pcs (+/- 2%)
Cartons/pallet 16 crt
Cartons/layer 4
Layers/pallet 4
Pallet height 131 cm
Net weight/pallet 83.9 kg
EAN pallet code 5410555081013

Technical Data Sheet

2026-03-20 (date of download)
2025-07-04 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group: READY2COOK®
Name: 1442ml Black alu coated container w/reverse handles - euro pal
Item number: 0140112200



Product specifications

Technical name	RECT.1442ML.HANDLES.BLACK
Material category	ALUMINIUM
Shape	RECTANGULAR
Product category	TRAY
Compartment	1-COMPARTMENT
Application	Freezer, Microwave, Oven
Height	47 mm
Top out length	265 mm
Top out width	162 mm
Top in length	247 mm
Top in width	144 mm
Base length	232 mm
Base width	128 mm
Weight/1 pc.	19.87 g (+/-10%)
Weight/1000 pcs.	19.90 kg
Total volume	1442 ml

Temperature

Minimum inner temperature	-40 °C
Maximum inner temperature	350 °C
Minimum outer temperature	-40 °C
Maximum outer temperature	200 °C

Material & product features

Material	ALU COATED
Foil description	LACQUER
Inside lacquer/Outside lacquer	No/Yes
Lacquer type	Inside plain, Outside lacq. (BPA NIA)
Barrier/laminat	No/No
Color (in/out)	ALUMINIUM/BLACK
Tray features	Reverse handles
Rim style	Heat seal curl
Closing options	Lid, Sealing film, Skin pack
Situation	Ready-to-cook, Ready-to-heat
Suitable for food contact	Yes


Sustainability details

Designed to be recycled	Yes
Mono-material	Yes
Biodegradable	No
Biobased	No
Sourced from ASI	Yes
Suitable for repeated use	No
Total recycled content	38% avg

Technical material:



Application:



Rim style:



Technical Data Sheet

2026-03-20 (date of download)
2026-01-06 (last modified date)

Product group: READY2COOK®
Name: Dpet lid 271x168mm w/anti-fog, stackable features - euro pal
Item number: 5022200203



Technical material:



PET

Application:



Product specifications

Technical name	LID.DPET.AF.RECT.H26MM.CLBAG
Material category	PLASTIC
Shape	RECTANGULAR
Product category	LID
Compartment	N/A
Application	Freezer
Height	26 mm
Top out length	271 mm
Top out width	168 mm
Top in length	265 mm
Top in width	162 mm
Weight/1 pc.	18.04 g (+/-10%)
Weight/1000 pcs.	18.00 kg
Total volume	0 ml

Temperature

Minimum inner temperature	-40 °C
Maximum inner temperature	70 °C
Minimum outer temperature	-40 °C
Maximum outer temperature	70 °C

Material & product features

Material	DPET
Foil description	STANDARD
Inside lacquer/Outside lacquer	No/No
Lacquer type	N/A
Barrier/laminat	No/No
Color (in/out)	CLEAR/CLEAR
Situation	Ready-to-cook, Ready-to-heat
Suitable for food contact	Yes

Sustainability details

Designed to be recycled	Yes
Mono-material	Yes
Biodegradeable	No
Biobased	No
Suitable for repeated use	No
Total recycled content	0% min.
Post-industrial-waste	% max.
Post-consumer-waste	% min.

Technical Data Sheet

2026-03-20 (date of download)
2025-05-14 (last modified date)

NO ACIDIC OR SALTY FOODS

Product group: READY2COOK®
Name: Set - 10pack 1442ml Black alu coated container
w/reverse handles - euro pal
Item number 0140182201



Related items:



5022200203

Material

- The aluminium foil contains a food approved lubricate, the amount is depending on the shape and complexity of the container.
- Be aware that containers with outside and/or inside lacquer can have limitations on the specified temperature. Lacquer is specified to app. 200°C, but time, food and other conditions may affect heat resistance, therefore it must be tested at the customer. For more information on specific food stuffs, see relevant DOC.

Application

- Aluminium containers are safe to use in microwave ovens constructed after 1983 following the instructions that can be found at: www.alufoil.org/about-alufoil/reference-library/aluminium-foil-and-microwave-ovens.html
- When used in any form of heating device (e.g., microwave oven, conventional oven, grill, etc.), the end-user must always refer to and follow the instructions provided by the heating device manufacturer. Plus Pack accepts no responsibility for misuse or deviation from such guidance.

Recycled content

- The recycled content in % is the secondary production aluminium part. This is a calculated average based on raw material supplier data for the last 2 calendar years. It can be subject to changes based on changes from our supplier.
- Be aware that the post-industrial-waste & post-consumer-waste is calculated according to third party information.

Packaging

- The number of packagings may vary, but the number is equalized by the total order.

Disposal

- The product and the packaging are made of a valuable material. Please recycle where possible and follow the local waste handling guidelines.